

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 May 2024

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N	
5/1																		17	<17	
5/2																				
5/3																				
5/4																				
5/5																				
5/6																				
5/7	300	100	33	<17	<17	17	<17	<17	<17	<17	>17	300	<17	<17	<17	>17	>17	33	17	
5/8																		>50	100	
5/9																				
5/10																				
5/11																				
5/12																				
5/13																				
5/14	83	67	33	<17	17	17	17	<17	<17	<17	17	<17	<17	17	<17	<17	<17	17	<17	
5/15																		17	17	
5/16																				
5/17																				
5/18																				
5/19																				
5/20																				
5/21	33	150	17	<17	<17	<17	17	<17	<17	<17	50	17	17	<17	33	17	<17	<17	150	
5/22																		<17	17	
5/23																				
5/24																				
5/25																				
5/26																				
5/27																				
5/28	120	67	<17	17	<17	<17	<17	<17	33	<17	<17	<17	33	<17	<17	<17	<17	17	17	
5/29																		<17	<17	
5/30																				
5/31																				
6/1																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	AR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
<17	<17	<17		<17	<17	<17	>17	17	<17	17	100	>2100	<17	<17	<17	<17	>3800	33	100
<17	>17		17																
<17	200	>33		100	>100	>33	>17	>17	<17	100	400	>2900	>900	>17	>50	>17	CWS	33	<17
<17	<17		>17																
17	17	17		<17	<17	17	<17	<17	<17	17	33	>4700	17	17	<17	17	>6600	17	<17
<17	<17		83																
<17	<17	<17		<17	17	<17	33	17	<17	<17	17	>6200	83	<17	17	<17	>5000	17	17
50	<17		<17																
17	<17	<17		33	<17	<17	<17	17	<17	17	CWS	>22000	<17	<17	<17	<17	8600	<17	<17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD
<17	>15000	33
67	CWS	<17
		<17
17	>2600	<17
		<17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.